

Report of Analysis

CounterAgingWise

Control Number: 110314-0047

Product Name: Cycloastragenol

Received On: 11/3/2014

Attn.: Amy

Lot Number: CAW141021

Carlisle, Massachusetts

USA

Serving Size: 1 g

<u>Analysis Performed / Method</u>	<u>Result with Units</u>
Cycloastragenol (chromatographic purity) SAM01160 (HPLC-ELSD)	99.6 %

Comments:

* Identification was based on a cycloastragenol from Chromadex.

Authorized by


Xingting Wang

Laboratory Manager

11/11/2014

Page 1 of 1

Test Report

ASH14-016292-01

Date: 20 Jun 2014

Client Name: CounterAgingWise

Client Address: No. 5 GaoPeng Road Gaoxin District

Sample Name: Cycloastragenol Capsules 5mg/srv

Sample Batch No. : 20140527

Production Date : 27th May, 2014

Manufacturer : CounterAgingWise

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

Date of Sample Received : 09 Jun 2014

Testing Period : 09 Jun 2014 - 20 Jun 2014

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).



SGS Authorized Signature

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center

Page 1 of 2

Test Report

ASH14-016292-01

Date: 20 Jun 2014

Sample Description :

Specimen No.	SGS Sample ID	Description
1	ASH14-016292.001	1 bag, ca. 40 number/bag, capsule in aluminium bag

Chemical test

Test Method(s) : Cycloastragenol, Cycloastragenol: Provided by the client**Test Result(s) :**

Test Item(s)	Unit	Test Method(s)	Test Result(s) 001	MDL
Cycloastragenol	g/100g	Provided by the client	3.45	-
Cycloastragenol	mg/capsule	Provided by the client	5.42	-

Remark:

- 1.MDL = Method Detection Limit
- 2.Provided by the client: The average weight of capsule is 157mg
- 3.The contents of capsule for the test item

*** End ***

Test Report

ASH14-016307-02

Date: 19 Jun 2014

Client Name: CounterAgingWise

Client Address: No. 5 GaoPeng Road Gaoxin District

Sample Name: Cycloastragenol Capsules

Sample Batch No. : 20140527

Production Date : 27th May, 2014

Manufacturer : CounterAgingWise

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

Date of Sample Received : 09 Jun 2014

Testing Period : 09 Jun 2014 - 17 Jun 2014

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

This Test Report cancels and supersedes the Test Report No. ASH14-016307-01 dated 17 Jun 2014 issued by SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center.



SGS Authorized Signature

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center

Page 1 of 2

Test Report

ASH14-016307-02

Date: 19 Jun 2014

Sample Description :

Specimen No.	SGS Sample ID	Description
1	ASH14-016307.001	1 Bag, ca. 200*2/bag, capsule in aluminium bag

Microbial test

Test Method(s) : Total Aerobic Microbial Count: The United States Pharmacopoeia, The National Formulary, USP 36-NF31:2013, General Chapter 61
 Mould & Yeast: FDA Bacteriological analytical manual online (BAM) chapter 18
 Escherichia Coliform: FDA Bacteriological analytical manual online (BAM) Chapter 4
 Salmonella/25g: FDA Bacteriological analytical manual online (BAM) Chapter 5

Test Result(s) :

Test Item(s)	Unit	Test Method(s)	Test Result(s)	Limit
			001	
Total Aerobic Microbial Count	cfu/g	USP36:2013,General Chapter 61	< 10	≤ 1000
Mould & Yeast	cfu/g	FDA/BAM online chapter 18	< 10	≤ 100
Escherichia Coliform	cfu/g	FDA/BAM online Chapter 4	< 10	Absent in 1g
Salmonella/25g	-	FDA/BAM online Chapter 5	Not Detected	Absent in 1g

Remark:

- 1.The contents of capsule for the test item
- 2.Limit: Provided by the client

*** End ***

Test Report

ASH14-016311-02

Date: 18 Jun 2014

Client Name: CounterAgingWise

Client Address: No.5 GaoPeng Road Gaoxin District

Sample Name: Cycloastragenol Capsules

Sample Batch No. : 20140527

Production Date : 27th May, 2014

Manufacturer : CounterAgingWise

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Reference No. : SHAFD1410489301

Date of Sample Received : 09 Jun 2014

Testing Period : 09 Jun 2014 - 18 Jun 2014

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

This Test Report cancels and supersedes the Test Report No. ASH14-016311-01 dated 17 Jun 2014 issued by SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center.



SGS Authorized Signature

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center

Page 1 of 2



Test Report

ASH14-016311-02

Date: 18 Jun 2014

Sample Description :

Specimen No.	SGS Sample ID	Description
1	ASH14-016311.001	1 bag ca.180 granule*2 bag Capsule in aluminum bag

Chemical test

Test Method(s) : Arsenic (As), Cadmium (Cd), Lead (Pb), Mercury(Hg): SGS In house method, analysis was performed by ICP/MS

Test Result(s) :

Test Item(s)	Unit	Test Method(s)	Test Result(s)	MDL	Limit
			001		
Arsenic (As)	mg/kg	In house method	ND	0.05	≤ 2
Cadmium (Cd)	mg/kg	In house method	ND	0.02	≤ 1
Lead (Pb)	mg/kg	In house method	0.12	0.02	≤ 3
Mercury(Hg)	mg/kg	In house method	ND	0.005	≤ 0.1

Remark:

- 1.The contents of capsule for test item
2. ND = Not Detected (< MDL)
3. MDL = Method Detection Limit

*** End ***