

TEST SUMMARY

ASH14-018989-04

Date: 16 Jul 2014

Client Name: CounterAgingWise
Client Address: No.5 GaoPeng Road Gaoxin District
Sample Name: Astragaloside IV Capsules 50mg/srv
Sample Batch No.: 20140624
Production Date: 24th June 2014
Manufacturer: CounterAgingWise

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Reference No.: SHAFD1412154801
Date of Sample Received: 30 Jun 2014
Testing Period: 30 Jun 2014 - 11 Jul 2014
Test Requested: Selected test(s) as requested by client.
Test Method: Please refer to next page(s).
Test Result(s): Please refer to next page(s).
This Test Summary cancels and supersedes the Test Summary No. ASH14-018989-01 dated 11 Jul 2014 issued by SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center.

The results shown in this test summary refer only to the sample(s) tested, and for clients internal use only. This test summary couldn't be used as social justice purpose.



SGS Authorized Signature

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center

Page 1 of 3

TEST SUMMARY

ASH14-018989-04

Date: 16 Jul 2014

Sample Description :

Specimen No.	SGS Sample ID	Description
1	ASH14-018989.001	1 bag, ca 500g, sample in aluminum bag

Microbial test

Test Method(s) : Total Aerobic Microbial Count: The United States Pharmacopoeia, The National Formulary, USP 36-NF31:2013, General Chapter 61
Mould and Yeast: FDA Bacteriological analytical manual online (BAM) chapter 18
Escherichia Coliform: FDA Bacteriological analytical manual online (BAM) Chapter 4
Salmonella/25g: FDA Bacteriological analytical manual online (BAM) Chapter 5

Test Result(s) :

Test Item(s)	Unit	Test Method(s)	Test Result(s)	Limit
			001	
Total Aerobic Microbial Count	cfu/g	USP36:2013,General Chapter 61	< 10	≤1000
Mould and Yeast	cfu/g	FDA/BAM online chapter 18	< 10	≤100
Escherichia Coliform	cfu/g	FDA/BAM online Chapter 4	< 0.30	≤10
Salmonella/25g	-	FDA/BAM online Chapter 5	Not Detected	Absent in 1 g

Chemical test

Test Method(s) : Arsenic (As), Cadmium (Cd), Lead (Pb), Mercury(Hg): SGS In house method, analysis was performed by ICP/MS
Astragaloside IV, Astragaloside IV: Method was provided by the client, HPLC/DAD

Test Result(s) :

Test Item(s)	Unit	Test Method(s)	Test Result(s)	MDL	Limit
			001		
Arsenic (As)	mg/kg	In house method	0.216	0.005	≤2
Cadmium (Cd)	mg/kg	In house method	ND	0.005	≤1

TEST SUMMARY

ASH14-018989-04

Date: 16 Jul 2014

Test Item(s)	Unit	Test Method(s)	Test Result(s)	MDL	Limit
			001		
Lead (Pb)	mg/kg	In house method	0.13	0.005	≤3
Mercury(Hg)	mg/kg	In house method	ND	0.005	≤0.1
Astragaloside IV	g/100g	Provided by the client, HPLC/DAD	30.4	-	-
Astragaloside IV	mg/capsul e	Provided by the client, HPLC/DAD	51.1	-	-

Remark:

1. The contents of capsule for test item
2. ND = Not Detected (< MDL)
3. MDL = Method Detection Limit
4. Limit: Provided by the client
5. Provided by the client: The average weight of capsule is 168mg

*** End ***